# Modified Checklist for Autism in Toddlers, Revised, with Follow-Up (M-CHAT-R/F)™

Diana L. Robins, Ph.D. Deborah Fein, Ph.D. Marianne Barton, Ph.D.

Acknowledgement: We thank the M-CHAT Study Group in Spain for developing the flow chart format used in this document.

For more information, please see <a href="www.mchatscreen.com">www.mchatscreen.com</a> or contact Diana Robins at <a href="mailto:mchatscreen2009@gmail.com">mchatscreen2009@gmail.com</a>

Note. This version contains minor changes to terminology, March 4, 2025.

#### Permissions for Use of the M-CHAT-R/F™

The Modified Checklist for Autism in Toddlers, Revised with Follow-Up (M-CHAT-R/F; Robins, Fein, & Barton, 2009) is a 2-stage parent-report screening tool to assess the likelihood for autism. The M-CHAT-R/F is available for free download for clinical, research, and educational purposes. Download of the M-CHAT-R/F and related material is authorized from <a href="https://www.mchatscreen.com">www.mchatscreen.com</a>.

The M-CHAT-R/F is a copyrighted instrument, and use of the M-CHAT-R/F must follow these guidelines:

- (1) Reprints/reproductions of the M-CHAT-R must include the copyright at the bottom (© 2009 Robins, Fein, & Barton). No modifications can be made to items, instructions, or item order without permission from the authors.
- (2) The M-CHAT-R must be used in its entirety. Evidence indicates that any subsets of items do not demonstrate adequate psychometric properties.
- (3) Parties interested in reproducing the M-CHAT-R/F in print (e.g., a book or journal article) or electronically for use by others (e.g., as part of digital medical record or other software packages) must contact Diana Robins to request permission (mchatscreen2009@gmail.com).
- (4) If you are part of a medical practice, and you want to incorporate the first stage M-CHAT-R questions into your own practice's electronic health record (EHR), you are welcome to do so. However, if you ever want to distribute your EHR page outside of your practice, please contact Diana Robins to request a licensing agreement.

#### Instructions for Use

The M-CHAT-R can be administered and scored as part of a well-child care visit, and also can be used by specialists or other professionals to assess the likelihood for autism. The primary goal of the M-CHAT-R is to maximize sensitivity, meaning to detect as many cases of autism as possible. Therefore, there is a high false positive rate, meaning that not all children who score at increased likelihood will be diagnosed with autism. To address this, we have developed the Follow-Up questions (M-CHAT-R/F). Users should be aware that even with the Follow-Up, a significant number of the children who screen positive on the M-CHAT-R will not be diagnosed with autism; however, these children have an increased likelihood for other developmental disorders or delays, and therefore, evaluation is warranted for any child who screens positive. The M-CHAT-R can be scored in less than two minutes. Scoring instructions can be downloaded from <a href="http://www.mchatscreen.com">http://www.mchatscreen.com</a>. Associated documents will be available for download as well.

**Scoring Algorithm** For all items except 2, 5, and 12, the response "NO" indicates elevated likelihood of autism; for items 2, 5, and 12, "YES" indicates elevated likelihood of autism. The following algorithm maximizes psychometric properties of the M-CHAT-R:

LOW-Likelihood:

**Total Score is 0-2**; if child is younger than 24 months, screen again after second birthday. No further action required unless surveillance indicates likelihood for autism.

MODERATE-Likelihood: Total Score is 3-7; Administer the Follow-Up (second stage of M-CHAT-

R/F) to get additional information about the elevated likelihood responses. If M-CHAT-R/F score remains at 2 or higher, the child has screened positive (HIGH Likelihood). Action required: refer child for diagnostic evaluation and eligibility evaluation for early intervention. If score on Follow-Up is 0-1, child has screened negative. No further action required unless surveillance indicates elevated likelihood for autism. Child should be rescreened at future well-child visits.

HIGH-Likelihood:

**Total Score is 8-20**; It is acceptable to bypass the Follow-Up and refer immediately for diagnostic evaluation and eligibility evaluation for early intervention.

#### M-CHAT-R<sup>TM</sup>

Please answer these questions about your child. Keep in mind how your child <u>usually</u> behaves. If you have seen your child do the behavior a few times, but he or she does not usually do it, then please answer **no**. Please circle **yes** <u>or</u> **no** for every question. Thank you very much.

• — , , , ,		
<ol> <li>If you point at something across the room, does your child look at it? (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or animal?)</li> </ol>	Yes	No
2. Have you ever wondered if your child might be deaf?	Yes	No
3. Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?)	Yes	No
<ol><li>Does your child like climbing on things? (FOR EXAMPLE, furniture, playground equipment, or stairs)</li></ol>	Yes	No
5. Does your child make <u>unusual</u> finger movements near his or her eyes? (FOR EXAMPLE, does your child wiggle his or her fingers close to his or her eyes?)	Yes	No
6. Does your child point with one finger to ask for something or to get help? (For EXAMPLE, pointing to a snack or toy that is out of reach)	Yes	No
7. Does your child point with one finger to show you something interesting?  (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road)	Yes	No
8. Is your child interested in other children? ( <b>FOR EXAMPLE</b> , does your child watch other children, smile at them, or go to them?)	Yes	No
9. Does your child show you things by bringing them to you or holding them up for you to see – not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck)	Yes	No
10. Does your child respond when you call his or her name? ( <b>For Example</b> , does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?)	Yes	No
11. When you smile at your child, does he or she smile back at you?	Yes	No
12. Does your child get upset by everyday noises? ( <b>For Example</b> , does your child scream or cry to noise such as a vacuum cleaner or loud music?)	Yes	No
13. Does your child walk?	Yes	No
14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her?	Yes	No
15. Does your child try to copy what you do? (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do)	Yes	No
16. If you turn your head to look at something, does your child look around to see what you are looking at?	Yes	No
17. Does your child try to get you to watch him or her? ( <b>FOR EXAMPLE</b> , does your child look at you for praise, or say "look" or "watch me"?)	Yes	No
18. Does your child understand when you tell him or her to do something?  (FOR EXAMPLE, if you don't point, can your child understand "put the book on the chair" or "bring me the blanket"?)	Yes	No
19. If something new happens, does your child look at your face to see how you feel about it? (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?)	Yes	No
20. Does your child like movement activities?  (FOR EXAMPLE, being swung or bounced on your knee)	Yes	No

#### M-CHAT-R Follow-Up (M-CHAT-R/F)™

#### **Permissions for Use**

The Modified Checklist for Autism in Toddlers, Revised, with Follow-Up (M-CHAT-R/F; Robins, Fein, & Barton, 2009) is designed to accompany the M-CHAT-R. The M-CHAT-R/F may be downloaded from <a href="https://www.mchatscreen.com">www.mchatscreen.com</a>.

The M-CHAT-R/F is a copyrighted instrument, and use of this instrument is limited by the authors and copyright holders. The M-CHAT-R and M-CHAT-R/F may be used for clinical, research, and educational purposes. Although we are making the tool available free of charge for these uses, this is copyrighted material and it is not open source. Anyone interested in using the M-CHAT-R/F in any commercial or electronic products must contact Diana L. Robins at <a href="mailto:mchatscreen2009@gmail.com">mchatscreen2009@gmail.com</a> to request permission.

#### Instructions for Use

The M-CHAT-R/F is designed to be used with the M-CHAT-R; the M-CHAT-R is valid for screening toddlers between 16 and 30 months of age, to assess the likelihood for autism. A number of studies have used M-CHAT-R/F up to 48 months, therefore, the tool can be used for children 16 to 48 months old.

Users should be aware that even with the Follow-Up, a significant number of the children whose score on the M-CHAT-R indicates a high likelihood will not be diagnosed with autism; however, these children have an increased likelihood for other developmental disorders or delays, and therefore, follow-up is warranted for any child who screens positive.

Once a parent has completed the M-CHAT-R, score the instrument according to the instructions. If the child screens in the moderate likelihood of autism range, select the Follow-Up items based on which items the child scored at elevated likelihood on the M-CHAT-R; only those items that were originally scored at elevated likelihood need to be administered for a complete interview. If you are administering Follow-Up immediately after M-CHAT-R, it is not necessary to ask the initial item for each page again. Instead, it is acceptable to say, "You reported that [child] is/is not... to start off each Follow-Up item.

Each page of the interview corresponds to one item from the M-CHAT-R. Follow the flowchart format, asking questions until a 0 or 1 is scored. Please note that parents may report "maybe" in response to questions during the interview. When a parent reports "maybe," ask whether most often the answer is "yes" or "no" and continue the interview according to that response. In places where there is room to report an "other" response, the interviewer must use his/her judgment to determine whether it is a 0ing response or not.


Score the responses to each item on the M-CHAT-R/F Scoring Sheet (which contains the same items as the M-CHAT-R, but Yes/No has been replaced by 0/1). The interview is considered to be a screen positive if the child scores at high likelihood on any two items on the Follow-Up. If a child screens positive on the M-CHAT-R/F, it is strongly recommended that the child is referred for early intervention and diagnostic testing as soon as possible. Please note that if the healthcare clinician or parent has concerns about autism, children should be referred for evaluation regardless of the score on the M-CHAT-R or M-CHAT-R/F.

### $\textbf{M-CHAT-R Follow-Up^{TM} Scoring Sheet}$

#### Please note: Yes/No has been replaced with 0/1


1.	If you point at something across the room, does your child look at it?  (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or animal?)	0	1
2.	Have you ever wondered if your child might be deaf?	0	1
3.	Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal)	0	1
4.	Does your child like climbing on things?  (FOR EXAMPLE, furniture, playground equipment, or stairs)	0	1
5.	Does your child make <u>unusual</u> finger movements near his or her eyes? ( <b>FOR EXAMPLE</b> , does your child wiggle his or her fingers close to his or her eyes?)	0	1
6.	Does your child point with one finger to ask for something or to get help? (FOR EXAMPLE, pointing to a snack or toy that is out of reach)	0	1
7.	Does your child point with one finger to show you something interesting?  (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road)	0	1
8.	Is your child interested in other children?  (FOR EXAMPLE, does your child watch other children, smile at them, or go to them?)	0	1
9.	Does your child show you things by bringing them to you or holding them up for you to see – not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck)	0	1
10	Does your child respond when you call his or her name?  (FOR EXAMPLE, does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?)	0	1
11	. When you smile at your child, does he or she smile back at you?	0	1
12	2. Does your child get upset by everyday noises?  (For Example, a vacuum cleaner or loud music)	0	1
13	B. Does your child walk?	0	1
14	. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her?	0	1
15	5. Does your child try to copy what you do?  (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do)	0	1
16	6. If you turn your head to look at something, does your child look around to see what you are looking at?	0	1
17	'. Does your child try to get you to watch him or her?  (FOR EXAMPLE, does your child look at you for praise, or say "look" or "watch me")	0	1
18	B. Does your child understand when you tell him or her to do something? ( <b>FOR EXAMPLE</b> , if you don't point, can your child understand "put the book on the chair" or "bring me the blanket")	0	1
19	P. If something new happens, does your child look at your face to see how you feel about it?  (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?)	0	1
20	Does your child like movement activities?  (FOR EXAMPLE, being swung or bounced on your knee)	0	1

Total	Score:	




#### 2. Have you ever wondered if your child might be deaf?


You answered Yes or did not answer this question. What led you to wonder that?




#### 3. Does \_\_\_\_\_ play pretend or make-believe?

You answered  $\underline{No}$  or did not answer this question.







#### 4. Does \_\_\_\_\_ like climbing on things?




#### 5. Does \_\_\_\_\_ make unusual finger movements near his/her eyes?




#### 6. Does \_\_\_\_\_ point with one finger to ask for something or to get help?



# 7. \* If the interviewer just asked #6, begin here: We just talked about pointing to ask for something, ASK ALL $\rightarrow$ Does \_\_\_\_\_\_ point with one finger just to show you something interesting?



#### 8. Is interested in other children?




9. Does \_\_\_\_\_ show you things by bringing them to you or holding them up for you to see? Not just to get help, but to share?


You answered No or did not answer this question.

Please give me an example of something he/she might bring to show you or hold up for you to see. (If parent does not give one of the following 0 examples, ask each individually.) Does your child sometimes bring you... A picture or toy just to show you? Yes □ No □ A drawing he/she has done? Yes □ No □ A flower he/she has picked? Yes □ No □ A bug he/she has found in the grass? Yes □ No □ A few blocks he/she has put together? Yes □ No □ Yes □ No □ Other (describe): **Yes** to any of the above **No** to all of the above Is this sometimes just to show you, not to get help? Yes No


#### 10. Does respond when you call his/her name?




#### 11. When you smile at \_\_\_\_\_\_, does he/she smile back at you?




12. Does \_\_\_\_\_ get upset by everyday noises?




#### 13. Does \_\_\_\_\_ walk?





# 14. Does \_\_\_\_\_\_ look you in the eye when you are talking to him/her, playing with him/her, or changing him/her?







## 16. If you turn your head to look at something, does \_\_\_\_\_ look around to see what you are looking at?






#### 17. Does \_\_\_\_\_ try to get you to watch him/her?





# 19. If something new happens, does \_\_\_\_\_ look at your face to see how you feel about it?



#### 20. Does \_\_\_\_\_ like movement activities?

